

# ALUMINIUM RADIATOR

## Brochure



01772 761333  
sales@firsttrace.co.uk  
[www.snugufh.co.uk](http://www.snugufh.co.uk)

SNUG

Stylish. Efficient. Built to last.

# Snug Aluminium Radiators

Combining beautiful Italian design with outstanding heating performance, Snug Aluminium Radiators are the perfect option for any home.

Whether you're upgrading a single room or fitting out a whole home, Snug radiators deliver:

- Faster warm-up times
- Energy-efficient heating
- Stunning colour choices
- 10-year guarantee

Both horizontal and vertical formats are available to suit any space.



**Stocked in White for  
fast 48–72hr delivery**

**Custom colours in as  
little as 8 working days**

# Why Choose Aluminium Radiators?



Snug Aluminium Radiators are crafted in Italy using high-grade aluminium, offering the perfect balance of style, performance, and efficiency.

Unlike traditional steel radiators, aluminium radiators:

- Heat up much faster
- Use less water
- Respond instantly to thermostat changes
- Are more energy efficient
- Help to reduce heating bills

This makes them ideal for modern condensing boilers, heat pumps, smart heating systems, and zoned heating systems.

# Your All-in-One Heating Supplier

At Snug, we don't just supply radiators, we supply the entire heating system behind them. From wet and electric underfloor heating to heat pumps, cylinders and smart thermostats, everything we provide is designed to work seamlessly together.

That means your radiators are always correctly sized, properly controlled and perfectly matched to the heat source.

With Snug, you get one supplier, one integrated design, and one point of responsibility. The result? Better performance, higher efficiency, simpler installation.



*A house using the full Snug ecosystem: underfloor heating, heat pumps, and radiators.*

# Customisation Options

Snug Aluminium Radiators are available in a range of colours, sizes, and finishes, so you can truly make the radiator fit your interior.

## Colours



RAL9016 - supplied as standard  
Custom colours available upon request

## Special Finishes



# Sizes to Fit Every Space...

## Horizontal

| PRODUCT CODE        | Dimensions (mm) |       |       | Output $\Delta t$ 50°C |       | Sections | Weight (kg) |
|---------------------|-----------------|-------|-------|------------------------|-------|----------|-------------|
|                     | Height          | Width | Depth | Watts                  | Btu's |          |             |
| SNUGRAD-FT-440-260  | 440             | 260   | 95    | 282                    | 962   | 3        | 3           |
| SNUGRAD-FT-440-340  |                 | 340   | 95    | 376                    | 1283  | 4        | 5           |
| SNUGRAD-FT-440-420  |                 | 420   | 95    | 470                    | 1604  | 5        | 6           |
| SNUGRAD-FT-440-500  |                 | 500   | 95    | 564                    | 1924  | 6        | 7           |
| SNUGRAD-FT-440-580  |                 | 580   | 95    | 658                    | 2245  | 7        | 8           |
| SNUGRAD-FT-440-660  |                 | 660   | 95    | 752                    | 2566  | 8        | 9           |
| SNUGRAD-FT-440-740  |                 | 740   | 95    | 846                    | 2887  | 9        | 10          |
| SNUGRAD-FT-440-820  |                 | 820   | 95    | 940                    | 3207  | 10       | 11          |
| SNUGRAD-FT-440-900  |                 | 900   | 95    | 1034                   | 3528  | 11       | 12          |
| SNUGRAD-FT-440-980  |                 | 980   | 95    | 1128                   | 3849  | 12       | 14          |
| SNUGRAD-FT-440-1060 |                 | 1060  | 95    | 1222                   | 4169  | 13       | 15          |
| SNUGRAD-FT-440-1140 |                 | 1140  | 95    | 1316                   | 4490  | 14       | 16          |
| SNUGRAD-FT-440-1220 |                 | 1220  | 95    | 1410                   | 4811  | 15       | 17          |
| SNUGRAD-FT-440-1300 |                 | 1300  | 95    | 1504                   | 5132  | 16       | 18          |
| SNUGRAD-FT-440-1380 |                 | 1380  | 95    | 1598                   | 5452  | 17       | 19          |
| SNUGRAD-FT-440-1460 |                 | 1460  | 95    | 1692                   | 5773  | 18       | 20          |
| SNUGRAD-FT-440-1540 |                 | 1540  | 95    | 1786                   | 6094  | 19       | 21          |
| SNUGRAD-FT-440-1620 |                 | 1620  | 95    | 1880                   | 6415  | 20       | 23          |

## Horizontal

| PRODUCT CODE        | Dimensions (mm) |       |       | Output $\Delta t$ 50°C |       | Sections | Weight (kg) |
|---------------------|-----------------|-------|-------|------------------------|-------|----------|-------------|
|                     | Height          | Width | Depth | Watts                  | Btu's |          |             |
| SNUGRAD-FT-590-260  | 590             | 260   | 95    | 369                    | 1259  | 3        | 5           |
| SNUGRAD-FT-590-340  |                 | 340   | 95    | 492                    | 1679  | 4        | 6           |
| SNUGRAD-FT-590-420  |                 | 420   | 95    | 615                    | 2098  | 5        | 8           |
| SNUGRAD-FT-590-500  |                 | 500   | 95    | 738                    | 2518  | 6        | 10          |
| SNUGRAD-FT-590-580  |                 | 580   | 95    | 861                    | 2938  | 7        | 11          |
| SNUGRAD-FT-590-660  |                 | 660   | 95    | 984                    | 3357  | 8        | 13          |
| SNUGRAD-FT-590-740  |                 | 740   | 95    | 1107                   | 3777  | 9        | 15          |
| SNUGRAD-FT-590-820  |                 | 820   | 95    | 1230                   | 4197  | 10       | 16          |
| SNUGRAD-FT-590-900  |                 | 900   | 95    | 1353                   | 4616  | 11       | 18          |
| SNUGRAD-FT-590-980  |                 | 980   | 95    | 1476                   | 5036  | 12       | 19          |
| SNUGRAD-FT-590-1060 |                 | 1060  | 95    | 1599                   | 5456  | 13       | 21          |
| SNUGRAD-FT-590-1140 |                 | 1140  | 95    | 1722                   | 5875  | 14       | 23          |
| SNUGRAD-FT-590-1220 |                 | 1220  | 95    | 1845                   | 6295  | 15       | 24          |
| SNUGRAD-FT-590-1300 |                 | 1300  | 95    | 1968                   | 6715  | 16       | 26          |
| SNUGRAD-FT-590-1380 |                 | 1380  | 95    | 2091                   | 7134  | 17       | 28          |
| SNUGRAD-FT-590-1460 |                 | 1460  | 95    | 2214                   | 7554  | 18       | 29          |
| SNUGRAD-FT-590-1540 |                 | 1540  | 95    | 2337                   | 7974  | 19       | 31          |
| SNUGRAD-FT-590-1620 |                 | 1620  | 95    | 2460                   | 8394  | 20       | 32          |

Please note: Dimensions includes bushes

## Horizontal

| PRODUCT CODE        | Dimensions (mm) |       |       | Output $\Delta t$ 50°C |       | Sections | Weight (kg) |
|---------------------|-----------------|-------|-------|------------------------|-------|----------|-------------|
|                     | Height          | Width | Depth | Watts                  | Btu's |          |             |
| SNUGRAD-FT-690-260  | 690             | 260   | 95    | 426                    | 1454  | 3        | 5           |
| SNUGRAD-FT-690-340  |                 | 340   | 95    | 568                    | 1938  | 4        | 7           |
| SNUGRAD-FT-690-420  |                 | 420   | 95    | 710                    | 2423  | 5        | 8           |
| SNUGRAD-FT-690-500  |                 | 500   | 95    | 852                    | 2907  | 6        | 10          |
| SNUGRAD-FT-690-580  |                 | 580   | 95    | 994                    | 3392  | 7        | 12          |
| SNUGRAD-FT-690-660  |                 | 660   | 95    | 1136                   | 3876  | 8        | 13          |
| SNUGRAD-FT-690-740  |                 | 740   | 95    | 1278                   | 4361  | 9        | 15          |
| SNUGRAD-FT-690-820  |                 | 820   | 95    | 1420                   | 4845  | 10       | 17          |
| SNUGRAD-FT-690-900  |                 | 900   | 95    | 1562                   | 5330  | 11       | 18          |
| SNUGRAD-FT-690-980  |                 | 980   | 95    | 1704                   | 5814  | 12       | 20          |
| SNUGRAD-FT-690-1060 |                 | 1060  | 95    | 1846                   | 6299  | 13       | 22          |
| SNUGRAD-FT-690-1140 |                 | 1140  | 95    | 1988                   | 6783  | 14       | 23          |
| SNUGRAD-FT-690-1220 |                 | 1220  | 95    | 2130                   | 7268  | 15       | 25          |
| SNUGRAD-FT-690-1300 |                 | 1300  | 95    | 2272                   | 7752  | 16       | 27          |
| SNUGRAD-FT-690-1380 |                 | 1380  | 95    | 2414                   | 8237  | 17       | 28          |
| SNUGRAD-FT-690-1460 |                 | 1460  | 95    | 2556                   | 8721  | 18       | 30          |
| SNUGRAD-FT-690-1540 |                 | 1540  | 95    | 2698                   | 9206  | 19       | 32          |
| SNUGRAD-FT-690-1620 |                 | 1620  | 95    | 2840                   | 9690  | 20       | 33          |

## Horizontal

| PRODUCT CODE        | Dimensions (mm) |       |       | Output $\Delta t$ 50°C |       | Sections | Weight (kg) |
|---------------------|-----------------|-------|-------|------------------------|-------|----------|-------------|
|                     | Height          | Width | Depth | Watts                  | Btu's |          |             |
| SNUGRAD-FT-790-260  | 790             | 260   | 95    | 483                    | 1648  | 3        | 6           |
| SNUGRAD-FT-790-340  |                 | 340   | 95    | 644                    | 2197  | 4        | 8           |
| SNUGRAD-FT-790-420  |                 | 420   | 95    | 805                    | 2747  | 5        | 10          |
| SNUGRAD-FT-790-500  |                 | 500   | 95    | 966                    | 3296  | 6        | 12          |
| SNUGRAD-FT-790-580  |                 | 580   | 95    | 1127                   | 3845  | 7        | 14          |
| SNUGRAD-FT-790-660  |                 | 660   | 95    | 1288                   | 4395  | 8        | 16          |
| SNUGRAD-FT-790-740  |                 | 740   | 95    | 1449                   | 4944  | 9        | 18          |
| SNUGRAD-FT-790-820  |                 | 820   | 95    | 1610                   | 5493  | 10       | 21          |
| SNUGRAD-FT-790-900  |                 | 900   | 95    | 1771                   | 6043  | 11       | 23          |
| SNUGRAD-FT-790-980  |                 | 980   | 95    | 1932                   | 6592  | 12       | 25          |
| SNUGRAD-FT-790-1060 |                 | 1060  | 95    | 2093                   | 7141  | 13       | 27          |
| SNUGRAD-FT-790-1140 |                 | 1140  | 95    | 2254                   | 7691  | 14       | 29          |
| SNUGRAD-FT-790-1220 |                 | 1220  | 95    | 2415                   | 8240  | 15       | 31          |
| SNUGRAD-FT-790-1300 |                 | 1300  | 95    | 2576                   | 8789  | 16       | 33          |
| SNUGRAD-FT-790-1380 |                 | 1380  | 95    | 2737                   | 9339  | 17       | 35          |
| SNUGRAD-FT-790-1460 |                 | 1460  | 95    | 2898                   | 9888  | 18       | 37          |
| SNUGRAD-FT-790-1540 |                 | 1540  | 95    | 3059                   | 10437 | 19       | 39          |
| SNUGRAD-FT-790-1620 |                 | 1620  | 95    | 3220                   | 10987 | 20       | 41          |

Please note: Dimensions includes bushes

## Vertical

| PRODUCT CODE        | Dimensions (mm) |       |       | Output $\Delta t$ 50°C |       | Sections | Weight (kg) |
|---------------------|-----------------|-------|-------|------------------------|-------|----------|-------------|
|                     | Height          | Width | Depth | Watts                  | Btu's |          |             |
| SNUGRAD-FT-1046-260 | 1046            | 260   | 95    | 570                    | 1945  | 3        | 6           |
| SNUGRAD-FT-1046-340 |                 | 340   | 95    | 760                    | 2593  | 4        | 8           |
| SNUGRAD-FT-1046-420 |                 | 420   | 95    | 950                    | 3241  | 5        | 10          |
| SNUGRAD-FT-1046-500 |                 | 500   | 95    | 1140                   | 3890  | 6        | 12          |
| SNUGRAD-FT-1046-580 |                 | 580   | 95    | 1330                   | 4538  | 7        | 14          |
| SNUGRAD-FT-1046-660 |                 | 660   | 95    | 1520                   | 5186  | 8        | 16          |
| SNUGRAD-FT-1046-740 |                 | 740   | 95    | 1710                   | 5835  | 9        | 18          |
| SNUGRAD-FT-1046-820 |                 | 820   | 95    | 1900                   | 6483  | 10       | 21          |

## Vertical

| PRODUCT CODE        | Dimensions (mm) |       |       | Output $\Delta t$ 50°C |       | Sections | Weight (kg) |
|---------------------|-----------------|-------|-------|------------------------|-------|----------|-------------|
|                     | Height          | Width | Depth | Watts                  | Btu's |          |             |
| SNUGRAD-FT-1246-260 | 1246            | 260   | 95    | 654                    | 2231  | 3        | 7           |
| SNUGRAD-FT-1246-340 |                 | 340   | 95    | 872                    | 2975  | 4        | 10          |
| SNUGRAD-FT-1246-420 |                 | 420   | 95    | 1090                   | 3719  | 5        | 12          |
| SNUGRAD-FT-1246-500 |                 | 500   | 95    | 1308                   | 4463  | 6        | 15          |
| SNUGRAD-FT-1246-580 |                 | 580   | 95    | 1526                   | 5207  | 7        | 17          |
| SNUGRAD-FT-1246-660 |                 | 660   | 95    | 1744                   | 5951  | 8        | 19          |
| SNUGRAD-FT-1246-740 |                 | 740   | 95    | 1962                   | 6694  | 9        | 22          |
| SNUGRAD-FT-1246-820 |                 | 820   | 95    | 2180                   | 7438  | 10       | 24          |

## Vertical

| PRODUCT CODE        | Dimensions (mm) |       |       | Output $\Delta t$ 50°C |       | Sections | Weight (kg) |
|---------------------|-----------------|-------|-------|------------------------|-------|----------|-------------|
|                     | Height          | Width | Depth | Watts                  | Btu's |          |             |
| SNUGRAD-FT-1446-260 | 1446            | 260   | 95    | 735                    | 2508  | 3        | 8           |
| SNUGRAD-FT-1446-340 |                 | 340   | 95    | 980                    | 3344  | 4        | 11          |
| SNUGRAD-FT-1446-420 |                 | 420   | 95    | 1225                   | 4180  | 5        | 14          |
| SNUGRAD-FT-1446-500 |                 | 500   | 95    | 1470                   | 5016  | 6        | 17          |
| SNUGRAD-FT-1446-580 |                 | 580   | 95    | 1715                   | 5852  | 7        | 20          |
| SNUGRAD-FT-1446-660 |                 | 660   | 95    | 1960                   | 6688  | 8        | 22          |
| SNUGRAD-FT-1446-740 |                 | 740   | 95    | 2205                   | 7523  | 9        | 25          |
| SNUGRAD-FT-1446-820 |                 | 820   | 95    | 2450                   | 8359  | 10       | 28          |

Please note: Dimensions includes bushes

## Vertical

| PRODUCT CODE        | Dimensions (mm) |       |       | Output $\Delta t$ 50°C |       | Sections | Weight (kg) |
|---------------------|-----------------|-------|-------|------------------------|-------|----------|-------------|
|                     | Height          | Width | Depth | Watts                  | Btu's |          |             |
| SNUGRAD-FT-1646-260 | 1646            | 260   | 95    | 813                    | 2774  | 3        | 10          |
| SNUGRAD-FT-1646-340 |                 | 340   | 95    | 1084                   | 3699  | 4        | 13          |
| SNUGRAD-FT-1646-420 |                 | 420   | 95    | 1355                   | 4623  | 5        | 16          |
| SNUGRAD-FT-1646-500 |                 | 500   | 95    | 1626                   | 5548  | 6        | 19          |
| SNUGRAD-FT-1646-580 |                 | 580   | 95    | 1897                   | 6473  | 7        | 22          |
| SNUGRAD-FT-1646-660 |                 | 660   | 95    | 2168                   | 7397  | 8        | 25          |
| SNUGRAD-FT-1646-740 |                 | 740   | 95    | 2439                   | 8322  | 9        | 29          |
| SNUGRAD-FT-1646-820 |                 | 820   | 95    | 2710                   | 9247  | 10       | 32          |

## Vertical

| PRODUCT CODE        | Dimensions (mm) |       |       | Output $\Delta t$ 50°C |       | Sections | Weight (kg) |
|---------------------|-----------------|-------|-------|------------------------|-------|----------|-------------|
|                     | Height          | Width | Depth | Watts                  | Btu's |          |             |
| SNUGRAD-FT-1846-260 | 1846            | 260   | 95    | 891                    | 3040  | 3        | 11          |
| SNUGRAD-FT-1846-340 |                 | 340   | 95    | 1188                   | 4053  | 4        | 14          |
| SNUGRAD-FT-1846-420 |                 | 420   | 95    | 1485                   | 5067  | 5        | 18          |
| SNUGRAD-FT-1846-500 |                 | 500   | 95    | 1782                   | 6080  | 6        | 21          |
| SNUGRAD-FT-1846-580 |                 | 580   | 95    | 2079                   | 7094  | 7        | 25          |
| SNUGRAD-FT-1846-660 |                 | 660   | 95    | 2379                   | 8107  | 8        | 28          |
| SNUGRAD-FT-1846-740 |                 | 740   | 95    | 2673                   | 9120  | 9        | 32          |
| SNUGRAD-FT-1846-820 |                 | 820   | 95    | 2970                   | 10134 | 10       | 35          |

## Vertical

| PRODUCT CODE        | Dimensions (mm) |       |       | Output $\Delta t$ 50°C |       | Sections | Weight (kg) |
|---------------------|-----------------|-------|-------|------------------------|-------|----------|-------------|
|                     | Height          | Width | Depth | Watts                  | Btu's |          |             |
| SNUGRAD-FT-2046-260 | 2046            | 260   | 95    | 963                    | 3286  | 3        | 12          |
| SNUGRAD-FT-2046-340 |                 | 340   | 95    | 1284                   | 4381  | 4        | 15          |
| SNUGRAD-FT-2046-420 |                 | 420   | 95    | 1605                   | 5476  | 5        | 19          |
| SNUGRAD-FT-2046-500 |                 | 500   | 95    | 1926                   | 6572  | 6        | 23          |
| SNUGRAD-FT-2046-580 |                 | 580   | 95    | 2247                   | 7667  | 7        | 27          |
| SNUGRAD-FT-2046-660 |                 | 660   | 95    | 2568                   | 8762  | 8        | 31          |
| SNUGRAD-FT-2046-740 |                 | 740   | 95    | 2889                   | 9857  | 9        | 35          |
| SNUGRAD-FT-2046-820 |                 | 820   | 95    | 3210                   | 10953 | 10       | 39          |

Please note: Dimensions includes bushes

# Optional Extras

## End panels

| PRODUCT CODE          | DESCRIPTION                                        | Dimensions (mm) |       |
|-----------------------|----------------------------------------------------|-----------------|-------|
|                       |                                                    | Height          | Depth |
| SNUGRAD-FT-440-PANEL  | SNUG Aluminium Flat Top End Panel 440 High (Pair)  | 440             | 95    |
| SNUGRAD-FT-590-PANEL  | SNUG Aluminium Flat Top End Panel 590 High (Pair)  | 590             | 95    |
| SNUGRAD-FT-690-PANEL  | SNUG Aluminium Flat Top End Panel 690 High (Pair)  | 690             | 95    |
| SNUGRAD-FT-790-PANEL  | SNUG Aluminium Flat Top End Panel 790 High (Pair)  | 790             | 95    |
| SNUGRAD-FT-1046-PANEL | SNUG Aluminium Flat Top End Panel 1046 High (Pair) | 1046            | 95    |
| SNUGRAD-FT-1246-PANEL | SNUG Aluminium Flat Top End Panel 1246 High (Pair) | 1246            | 95    |
| SNUGRAD-FT-1446-PANEL | SNUG Aluminium Flat Top End Panel 1446 High (Pair) | 1446            | 95    |
| SNUGRAD-FT-1646-PANEL | SNUG Aluminium Flat Top End Panel 1646 High (Pair) | 1646            | 95    |
| SNUGRAD-FT-1846-PANEL | SNUG Aluminium Flat Top End Panel 1846 High (Pair) | 1846            | 95    |
| SNUGRAD-FT-2046-PANEL | SNUG Aluminium Flat Top End Panel 2046 High (Pair) | 2046            | 95    |

## Thermostatic Radiator Valves

| PRODUCT CODE                       | DESCRIPTION                                                  | Orientation | Finish         | Connections |
|------------------------------------|--------------------------------------------------------------|-------------|----------------|-------------|
| SNUG-TRV-K-ANGLED-WHITE            | SNUG TRV K Angled White 15mm (Allow an extra 80mm)           | Angled      | White          | 15mm        |
| SNUG-TRV-K-ANGLED-CHROME           | SNUG TRV K Angled Chrome 15mm (Allow and extra 80mm)         | Angled      | Chrome         | 15mm        |
| SNUG-TRV-K-ANGLED-NICKEL           | SNUG TRV K Angled Nickel 15mm (Allow and extra 80mm)         | Angled      | Nickel         | 15mm        |
| SNUG-TRV-K-ANGLED-ANTIQUE-BRASS    | SNUG TRV K Angled Antique Brass 15mm (Allow and extra 80mm)  | Angled      | Antique Brass  | 15mm        |
| SNUG-TRV-K-ANGLED-ANTIQUE-COPPER   | SNUG TRV K Angled Antique Copper 15mm (Allow and extra 80mm) | Angled      | Antique Copper | 15mm        |
| SNUG-TRV-K-STRAIGHT-WHITE          | SNUG TRV K Straight White 15mm                               | Straight    | White          | 15mm        |
| SNUG-TRV-K-STRAIGHT-CHROME         | SNUG TRV K Straight Chrome 15mm                              | Straight    | Chrome         | 15mm        |
| SNUG-TRV-K-STRAIGHT-NICKEL         | SNUG TRV K Straight Nickel 15mm                              | Straight    | Nickel         | 15mm        |
| SNUG-TRV-K-STRAIGHT-ANTIQUE-BRASS  | SNUG TRV K Straight Antique Brass 15mm                       | Straight    | Antique Brass  | 15mm        |
| SNUG-TRV-K-STRAIGHT-ANTIQUE-COPPER | SNUG TRV K Straight Antique Copper 15mm                      | Straight    | Antique Copper | 15mm        |



# Technical Specifications

|                                 |                              |
|---------------------------------|------------------------------|
| <b>Materials</b>                | Aluminium                    |
| <b>Connections</b>              | ½" flow and return           |
| <b>Test pressure</b>            | 9 Bar                        |
| <b>Testing authority</b>        | EN442                        |
| <b>Max. operating pressure</b>  | 6 Bar                        |
| <b>Max. working temperature</b> | 110°C                        |
| <b>Packaging</b>                | Wrapped in polythene & boxed |

**01772 761333**

**[sales@firsttrace.co.uk](mailto:sales@firsttrace.co.uk)**

**[www.snugufh.co.uk](http://www.snugufh.co.uk)**

Quayside Court, Navigation Way, Docklands,  
Preston, PR2 2RZ



**FIRST TRACE**  
HEATING DIRECT